
DECK LOG-TITLE PAGE NAVPERS 137 (REV. 1-51)




RESTRICTED



LOG BOOK

OF THE

U. S. S.	X = 1	
	SSX-/ IDENTIFICATION NUMBER	
	COMMANDED BY	
LTK.	HANLON	, U. S. N.
	COM SUB DIN 81	Division,
Attached to	COM SUB RON 8	Squadron,
	CONSUB HANT	Flotilla,
	CINCHANT FAT.	Fleet,
Commen	cing 0000 DECEMBER	, 1956 ,
at T	BRTSMOUTH N.H.	
and endi	ng 2400 31 DECEMBER	, 1956,
at Po	ETS MOUTH N. H.	
		NE TA



FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION +5 DATE SATURDAY | DECEMBER, 1956 AT/PASSAGE FROM US NAUDI SNIPYARD PORTSMOUTH TO NEW HOMPSHIRE WEATHER OBSERVATIONS TIME ZONE POSITION TEMPER-CLOUDS SEA WATER WAVES WIND VISI- WEATH-0800 ZONE BIL-ITY ER (sym-ETER TEMPER-DIREC-DIREC-TIME Amount HEIGHT BY -SPEED Туре Height ATURE TION (Miles) bols) (Inches) (Tenths) Bulb Bulb (Feet) 01 1200 BY _ 02 BY _ 03 2000 04 BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA SAME AS COM MOU BASE 09 PORTSMOUTH NEW HAMPSNIRE FROM_ 10 (Date) (ZT) TO -(Date) (ZT) 11 SET -12 DRIFT __ 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** 00-24 Resting on cracks in front of building 180 at 915 Maral ious yard croft USS Albacare (A 655569) New at quarters. "GMc Camia EMI(35)usN APPROVED: EXAMINED:

NAVIGATOR

MAYPERS 720 (Rev. 4-56)	ADDITION	IAL REMARKS		
UNITED STATES SHIP			(Day) (Date)	(N-1) , 19
		PARTY TO THE	(Day) (Date)	(Month) , 19
		Manual Company		
	19 A C C C C C C C C C C C C C C C C C C			
E 1000 1000 1000 1000 1000 1000 1000 10				
		TAMES TO SEE		
PPROVED:		EXAMINED:		
	U.S.N. COMMANDING		U.S.N.	NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605 FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (55X-1) ZONE DESCRIPTION TS DATE SONDEY & DECEMBER, 1956 AT/PASSAGE FROM US NAVAL SNIPYARD PORTSMOUTH TO NEW HAMPSHIRE WEATHER OBSERVATIONS TIME POSITION ZONE TEMPER-CLOUDS WAVES SEA WATER WIND VISI- WEATH-BAROM-ATURE 0800 ZONE BIL- ER ITY (sym-(Miles) bols) ETER EMPER-DIREC-DIREC-TIME Amount _ BY _ HEIGHT SPEED Height Туре ATURE TION (Inches) Bulb Bulb (Tenths) (Feet) 01 BY _ 02 BY _ 03 2000 04 BY _ 05 λ_ LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA 09 FROM_ SAME AS COMNONBASE 10 (Date) (ZT) NEW NAMPS NING (Date) 11 12 DRIFT __ 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** 00-24 Resting on exadles in front of building 160 at US Maral Shippart US navol attentic Fleetand various yard craft SOPA is USS albacone (A655569), 0800 Mustered crew at quarters, absentees, Charles W. annatte

EXAMINED:

APPROVED:

NAVIGATOR

FOR OFFICIAL USE ONLY MAYPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS		7 (40 4 (40) 40 (40) 410
UNITED STATES SHIP		(Day) (Date)	(Month) , 19
			Land State of the second
	THE RESIDENCE OF THE PARTY OF T		
RELIGION NAMED IN			
		自然是是自己的意思的	
PPROVED:	EXAMINED:		
I NVILV.	LAMPINEU.		
	U.S.N. COMMANDING	U.S.N.	NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

	SAUL TRUI			.,,,,,,										OECEMB (Nonth) -EW H			
							-	WEATH	ER OBS	ERVAT	ONS						
ONE	WI	ND	VISI-	WEATH- ER	BAROM- ETER	TEMI	PER- JRE		CLOUDS		SEA WATER	WAV	ES	POS 1 T 1	ON ZO	DNE	IM
IME	DIREC- TION	SPEED (Knots)	ITY	(Sym-	(Inches)		Wet Bulb	Amount (Tenths)	Height	Туре	TEMPER- ATURE	TION (True)	HEIGHT (Feet)	L		BY	
01	(True)									MANA		(True)		1200			
02				1,50										L		BY	197
03															SCENE .	BY	
04	B) altr								1921-191-1		4			2000 L		BY	
05														λ		BY	
06									A AFRICA					LEGEND:	- CELES		
07					SAA	ME	AS	Con	NAV	BASE					- VISUA		
08								PR. 1							CURRENT	DATA	
09					Po	RT	MO	outh	NEU	HA.	MPSH	IRE		The state of		100	
10						in the								FROM	ZT)	(Dai	e)
11															ZT)		e)
12		- 15/4		1870													
13														POSI	TION BETV	EEN FIXE	5
14						1000	17.27.11							MID. L_			
16														MID. A_			7
17								Albert State									
18								1.7			Table Bar						7
19					1										MILES STE		
20																	1
21	and t							- Marie			191-18						
22												4 100					7
23									Silver e						FUEL CONS		
24			184														1
		1000						- 4-4-1	REMA								
IN TH	ITS IE	VAL OF C.O.	5 H. V.S	S.S.	THAN HUGA	TIC	FIE	TSMOL LEET	AND	V.H.	51	YAR	PRE	180 SENT RAFTI CRE	SO	PA	
									d					lerty			

FOR OFFICIAL USE ONLY NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS		(834 050) 851 1110 (834 050) 851 1110
UNITED STATES SHIP		(Day) (Date)	(Month) , 19
			Marie Ma
	CHOTALISO ELITADO		
			The Second
			4. 1 150.20
		king the same	
STANDARD BANKS			
	NEW PROPERTY OF THE PARTY OF TH		
		YA TION TO SERVICE	
PPROYED:	EXAMINED:		
	U.S.N. COMMANDING	U.S.N	. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605 FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION +5 DATE Tuesday 4 December, 19 56

AT/PASSAGE FROM U.S. Naval Ship Yard TO Portsmouth, New Hampshire WEATHER OBSERVATIONS TIME POSITION ZONE TEMPER-CLOUDS WAVES VISI- WEATH-BIL- ER ITY (sym-WIND BAROM-ATURE BIL-ITY ZONE WATER ETER TEMPER-DIREC-DIREC-BY -TIME Dry HEIGHT SPEED Height ATURE TION TION (Inches) (Knots) (Miles) bols) Bulb (Tenths) (Feet) 01 BY _ 02 03 2000 04 BY -05 LEGEND: 1 - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL As Com Nav Base 07 4 - D. R. 08 CURRENT DATA New Hampskire 09 FROM. 10 (ZT) (Date) (Date) 11 12 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** Ship Yard, Portsmouth N.H. Ships present include units of U.S. Atlantic fleet and various yard craft. SOPA is the C.O. U.S. S. Albacore (AC55569) fleet and various yard craft. SOPA is 6800 Musterd crew at quarters, Absentees None Marin T'Mc Camis

APPROVED:

LEVAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

MAVPERS 720 (Rev. 4-56)	ADDITIONAL I	REMARKS		720 feet wefer
NITED STATES SHIP		(Day)	(Date)	(Month) , 19
		Anna Anna Anna Anna Anna Anna Anna Anna	(Date)	(Month)
	AND THE RESIDENCE			
	The second secon	Control of the second		
				Permanent !
经现在的证据的				
	VIDENTE CONTRACTOR			
DAVED.	PV	ED.		
ROVED:	EXAMIN			
	U.S.N. COMMANDING			NAVIGATOR

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION +5 DATE WEONESDAY 5 DECEMBER, 19 56

AT/PASSAGE FROM M.S. NAVAL SHIPYARD TO PORTSMOUTH, NEW HAMPSHIRE WEATHER OBSERVATIONS POSITION ZONE TIME TEMPER-CLOUDS WAVES WIND VISI- WEATH-BAROM-ATURE 0800 ZONE BIL-ITY ER (sym-ETER EMPER-ATURE DIREC-BY -TIME Dry Wet Amount HEIGHT SPEED Height Туре TION (True) (Miles) bols) (Inches) (Tenths) Bulb Bulb (Knots) (Feet) 01 1200 02 03 2000 04 BY _ 05 LEGEND: 1 - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA AS COM NAU BASE, 09 10 (Date) (ZT) TO _ (ZT) 11 SET -12 13 POSITION BETWEEN FIXES 14 15 MID. A_ 16 17 18 MILES STEAMED 19 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** NAVAL SHIPYARD, PORTSHOUTH, NEW HAMPSHIRE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE M.S. ATLANTIC FLEET AND VARIORS YARD CRAFT. S.O. P.A. IS THE C.O. OF THE ALBACORE (AGSS-569). 0800 MUSTERED CREW AT QUARTERS EXAMINED: APPROVED:

Emergency Printing

NAVIGATOR

INITED STATES SHIP		(Day) (Date) (Month) 19
		IDAY) (DATE) [MORTA]
	国际的基础的特别的特别的	
	经制度的发展的特殊的	
T. But T. Day		
		Ten No.
ROYED:	EXAMINED:	

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

O1	WI DIREC-										-				
01	DIREC-	1012				7511		VEATH	ER OBS	ERVAII	ONS			POSITION	ZONE TI
01 02		N D	BIL-		BAROM- ETER	TEMP	IRE		CLOUDS		SEA WATER TEMPER-	WAV	ES	0800	
	TION (True)	SPEED (Knots)	ITY (Miles)		(Inches)	Bulb		Amount (Tenths)	Height	Туре	ATURE	TION (True)	HEIGHT (Feet)	HE HE WAS THE REAL PROPERTY.	BY
02			1911											1200	BY
															BY
)3						Phone .						THE SE		2000	BY
)4						AME :								L	BY
)5															BY
06						- 9-9								AND THE RESERVE OF THE PARTY OF	CELESTIAL ELECTRONIC //SUAL
07						100). R.
08			000											CUR	RENT DATA
09		SAM	E	AS		01	11	AVE	ASE					FROM	
10		100	LTS	MO	DUTT	1	VE	WH	AMP:	HIRT				(ZT)	(Date
11														SET	
13														DRIFT	
14												The same			BETWEEN FIXES
15														MID. L	
16													New York	MID. λ	
17															
18															
19															S STEAMED 00-2400
20															
21															
22		engine.						, ,							
23															CONSUMED
24			-115										1		
									REMAI	OKC					
NC	LUD	E U,	SH	S	OF SSAL	TH BAC	EL	MOUT S A E (A	HNE	W HA 10 F 569	LEET	HIRE T, AN	D VA	6 180 A IPS PR RIOUS Y MUSTE	ESENT ARD CR
									P	Dil	lijs	8-	The	mppo	
										E	NI	(ss) 09	S.N	
								,							

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS		1340 (880 (1440) 43 4 (880) (884) 43 8
UNITED STATES SHIP		(Day) (Dat	e) (Month) , 19
	The second secon	(104)	(MOREN)
	7.5.00 000000000000000000000000000000000		
· · · · · · · · · · · · · · · · · · ·			
,			
新一种的基础是			
PROYED:	EXAMINED:		The LEGISLE AND
	U.S.N. COMMANDING	U	.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

	April 1									ERVATI				December, 19_56 (Month) ew Hampshire
						ТЕМЯ		VEATITI		LKVAII		WAV	IES .	POSITION ZONE TIM
ONE	WI DIREC-	ND SPEED	VISI- BIL- ITY		BAROM- ETER	ATI		Amount	CLOUDS		SEA WATER TEMPER-	DIREC-	HEIGHT	0800 LBY
IMC	TION (True)	(Knots)	The second second second	bols)	(Inches)			(Tenths)	Height	Туре	ATURE	TION (True)	(Feet)	λBY
)1			200					,		No.				1200
)2		A STATE OF				1	300				- 1			L
)3													100	2000
)4			1								1/72			LBY
)5		-												λBY
06														2 - ELECTRONIC 3 - VISUAL
08								1	1/-	R	2		The same	4 - D. R.
9					200	16	75	COM.	(V & V	Bas	e			CURRENT DATA
10					P	+ 0	200	+6	Non	Hami	25/2	re.		FROM(ZT) (Date)
1					101	3/	1 44			1 4/11/		1		TO (ZT) (Date)
12	Maria Paris							6. 22.						SET
13			Pole Park			W. Fr								POSITION BETWEEN FIXES
14	A Rolling	The same								Herei				MID. L
15												EER		MID. λ
16			1									1200		MID: X
17	1303									200				
18				P ST										MILES STEAMED
19		17.00												0000-2400
20														
21														
23														FUEL CONSUMED
24														0000-2400
							2000	EL IS						
			3.44						REMA	RKS				
									, ,				0 1	11:
200	00-	240	D	Ke	stin	19	ON	PCT	ad les	IN	tro	NT O	FDU	ire. Ships Antic Fleet bacare (AGSS 569)
	se u	5. 1	AV	7	Ship	Yar	d	Fort:	sme	uTh)	ven	11 6	MPSA	rytic Floot
P	rese	NT	INC	Tud	T	O	P	H is	+ + 6	C.0	, of	115	SAI	bacare (Hess 569)
9	DU N	1451	Leve	od .	rven	, 2	+	QUZK	ters	265	ent	2 e 5	: NO	Ne.
							-							
									3	Varie	(th	-63	raw	n
							TAN			1	ENI	(55)	USN	
										V				
1											Nigery !			

IAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS		The west of
NITED STATES SHIP		(Day) (Date)	(Month) , 19
		(Date)	(MORLE)
	制造成品质型型的影响的运输 及		
VED:	EXAMINED:		
	U.S.N. COMMANDING	U.S.1	I. NAVIGATOR

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION +5 DATE SATURDAY 8 DECEMBER, 19 56

AT/PASSAGE FROM M.S. NAVAL SHIPYARD, TO PORTS MOUTH, NEW HAMPSHIRE WEATHER OBSERVATIONS TIME ZONE POSITION TEMPER-CLOUDS WAVES SEA WATER WIND VISI- WEATH-BAROM-ATURE 0800 ZONE BIL-ITY ER (sym-TEMPER-DIREC-DIREC-Amount BY -TIME HEIGHT SPEED Туре Height TION ATURE TION (Miles) bols) (Inches) Bulb Bulb (Tenths) (Feet) 01 BY . 02 03 2000 04 BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC As COM NAV BASE 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA 09 FROM . 10 (Date) (ZT) (Date) 11 12 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 0000-2400 23 24 **REMARKS** 0000-2400 RESTING ON CRADLES IN FRONT OF BUILDING 180 AT THE U.S. NAVAL SHIPYARD, PORTSMOUTH NEW HAMPSHIRE, SHIPS FMC(55)

Emergency Printing

EXAMINED:

APPROVED:

NAVI GATOR

MAYPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS	YANG DEL YANG DEL YANG
UNITED STATES SHIP		(Day) (Date) (Month) , 19
Production of the second		(Honen)
	CANTANANA ANA	
The state of the s		
是是正理的政府的		
ROYED:	EXAMINED:	
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

							ECO DE LOS DELOS DE LOS DELOS DE LOS DELOS DE LOS DELOS DE LOS DELOS DE LOS DE	TOTAL TOTAL DE	ER OBS					ire
	WI	ND	VISI-	WEATH-	BAROM-	TEMP	PER-		CLOUDS		SEA	WAV	/ES	POSITION ZONE TIM
ONE	DIREC-	SPEED	BIL- ITY		ETER (Inches)	Dry Bulb	Wet	Amount (Tenths)	Height	Туре	WATER TEMPER- ATURE	DIREC- TION	HEIGHT (Feet)	0800 LBY
01	(True)	(Knots)	(HTTCS)			5410	Buto	(Tenting)				(True)	(reet)	λBY
)1														L BY
13														λΒΥ
)4														2000 LBY
5				1,02,5										λΒΥ
6			H.A.		521	2 P.	75	Com	Nav	Ba	e			LEGEND: I - CELESTIAL
7		6 6 6			047		90		Nor. Wew					2 - ELECTRONIC 3 - VISUAL 4 - D. R.
8					Par	+5	m a	446	We.w	Ham	osh	ire		· · · ·
9		1230												CURRENT DATA
0											E RALL			FROM(ZT) (Date)
1														(ZT) (Date)
12							177							SET
.3												77.12		POSITION BETWEEN FIXES
L4													Topic Chi	MID. L
15														MID. λ
16		4												
17		The												
18		E Bh					Sept.	Service .						MILES STEAMED
19														0000-2400
20														
22														
23														FUEL CONSUMED
24		1											3	0000-2400
		The L												
			P	+				1100	REMAI		e h	.: المان	10. 19	n at the
1)	5 1/2	400	5h.		vd F	Part	CIN	outh	New	t z mr	shir	e. 5	h. ps	present
1 10	clud	e v2	rio	us	UNI	+5	of.	The 1	1.5. A	Than	ric	Flee	+ ZNO	d vard craft.
5	0. F.	A.	is	C .	0. 04	T	he	USS	ALD	ac ore	(A	G 55 :	569)	d yard craft.
								es: 1						
									Har /	ry D.	.03	cown		
									1	EN K	55)	USN		
						BIFO			0					
			Es i									The same		
						TELLET !				The Mallins				

FOR OFFICIAL USE ONLY NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS				
UNITED STATES SHIP		(Day)	(Date)	(Month)	19
The state of the s					
				10	er Dawelle
	SHOULAND STATE				
		All was			
	是对于 是一个人的,是一个人的				
				Age The	
· ·					
		11/-18-5			
			1 1 1 1 1 1		
PPROVED:	EXAMINED:				
	U.S.N. COMMANDING		U.S.N	. NAVIGATOR	

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1(SSX-1) ZONE DESCRIPTION +5 DATE MONDAY 10 DECEMBER, 1956 AT/PASSAGE FROM US NOVAL SNIPYARD, PORTSMOUTH TO NEW HAMPSHIRE WEATHER OBSERVATIONS POSITION TIME TEMPER-WAVES CLOUDS WIND BAROM-VISI-WEATH-ATURE 0800 ZONE BIL-WATER ER (sym-ETER TEMPER-DIREC-Dry Wet TIME SPEED Amount HEIGHT Height TION (True) ATURE TION (Miles) bols) (Inches) (Tenths) Bulb (Feet) (Knots) 01 1200 BY _ 02 BY _ 03 2000 04 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. SAME AS COM NAV BOS 08 CURRENT DATA 09 FROM. 10 (ZT) TO _ (Date) 11 12 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. λ ___ 16 17 18 MILES STEAMED 0000-2400 19 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** Portsmouth Mew / tampshire Ships present include unils of the US Portsmouth Mew / tampshire Ships atlantic Fleet and various your aft. SOPA is CO USS Albacone Charles W. annable EN2(56) OSN. EXAMINED: APPROVED:

Emergency Printing

U.S.N. NAVIGATOR

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS	A TO (No. 1 vine) grs. gr
UNITED STATES SHIP		(Day) (Date) (Month) , 19
	THE RESERVE ASSESSMENT ASSESSMENT	(Day) (Date) (Month)
		A Company
PROYED:	EXAMINED:	
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS N-1 (55X-1) ZONE DESCRIPTION + 5 DATE TYESDAY 11 DECEMBER, 19 56

AT/PASSAGE FROM N. S. NAVAL SHIPYARD, TO PORTS MOUTH, NEW HAMPSHIRE WEATHER OBSERVATIONS TIME POSITION ZONE TEMPER-CLOUDS WAVES WIND VISI-WEATH-BAROM-0800 ZONE WATER BIL-ITY ER (sym-ETER TEMPER-DIREC-DIREC-TIME Dry Wet Amount BY -SPEED HEIGHT Height Туре TION TION ATURE (Miles) bols) (Inches) (Tenths) (Knots) Bulb Bulb (Feet) (True) λ_ 01 1200 BY _ 02 03 2000 04 _BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. MAN BASE Hs Com 08 CURRENT DATA 09 FROM_ AMPSHIBA 10 RTSMOUTA (Date) (ZT) TO _ (Date) (ZT) 11 SET -12 DRIFT __ 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** U. S. NAVAL SHIPYARD, PORTSMOUTH NEW HAMPSHIRE, SHIPS PRESENT INCLUDE YARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND VARIOUS YARD CRAFT. S.O. P.A. IS THE C 0800 MUSTERED THE CREW AT QUARTERS. ALBACORE (AG55-569) ABSENTEES: NONE, 1300 TRANSFERED THOMPSON, PHILLIP 5. 302-54-78 ENI(SS) USN TO PORTS MOUTH NAVAL HOSPITAL FOR TAD UNDER TREATMENT, AUTHORITY COM SUBLANT ADMIN (PORTSMOUTH) T- 4860. Enemett M. Vartain

EXAMINED:

APPROVED:

Kevin Hanfon hT U.S.M.

NAVIGATOR

AVPERS 720 (Rev. 4-56)	ADDITIONAL REM	AKK3	Tra-B-spill	
NITED STATES SHIP				19
		(Day)	(Date) (Month)	
	The second secon			
	The second second second			
CONTRACTOR OF THE				
	Home land to the land			
		阿尔特尼尔		
State of the state				
	(特别的人的人的人的人的人			
MODBLE CONTRACTOR				
	医生物性性 医克里特氏病 医			
				Tuk
		The second second		
	SUPPLEMENT OF THE SECOND			
			ALCOHOLD STATE	
YED:	EXAMINED:			

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

				W.			,	WEATH	ER OBS	ERVATI	ONS			
	WI	ND	VISI-	WEATH-	BAROM-	TEMP			CLOUDS		SEA	WAN	ES	POSITION ZONE TIME
ONE	DIREC- TION (True)	SPEED (Knots)	BIL- ITY (Miles)	(Sym-	ETER	Dry	Wet	Amount (Tenths)	Height	Туре	WATER TEMPER— ATURE	DIRECTION (True)	HEIGHT (Feet)	0800 LBY
01	(11.00)		De la				Allege							λBY
02						44								LBY
03			,						-					λBY
04														LBY
05				386										λBY
06											Sept.			LEGEND: 1 - CELESTIAL 2 - ELECTRONIC
07		11/A		51	PME	AS	-	Conn	AV BA.	SE				3 - VISUAL 4 - D. R.
08														CURRENT DATA
09					POR	T5/	200	Th /	VEW	HAMA	561	RE		
10						- 1								TO (2T) (Date) (Date)
11							15253							(ZT) (Date)
12			1				1000							DRIFT
13									200					POSITION BETWEEN FIXES
14				1000		733								MID. L
15								3/10/20						MID. A
16		180										as it is		
18														
19														MILES STEAMED
20									100		1988	9-327		
21				La Serie				5,440	CALL S					
22									Aut Branch				,	
23							- 1		1911-19					FUEL CONSUMED 0000-2400
24		Lasi												0000-2400
V. V. S	S. N UITS OPA	OF 15	Th Th	E	V.S CI	, A	PON THE U.	TS MOU	FLEET LACOR	V.H. - ANS E (AGS	5 h	4 n 100	PRESE S PR O 80	180 AT TOE ENT INCHURE ORD CRAFT. O MUSTERD CR

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMAI	RKS	(2) (3) 81 2
UNITED STATES SHIP		(Day) (Date)	(Month) , 19
		And the second second	
			Salarette silia since
	(
ROYED:	EXAMINED:		
	U.S.N. COMMANDING	U.S.1	. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

Trian (free) Miles) Mile	BY BY BY BY BY CELESTIAL ELECTRONIC VISUAL D. R. CURRENT DATA T) (Date)
No.	BY BY BY BY CELESTIAL ELECTRONIC VISUAL D. R. CURRENT DATA (Date)
Crue	BY BY BY BY CELESTIAL ELECTRONIC VISUAL D. R. CURRENT DATA T) (Date)
2	BYBYBYBY
2000 L 2000 L	BY
L L L L L L L L L L L L L L L L L L L	BY
EGEND: 1 Same As Com Nay Base Provis month, New Hampshire FROM REST POSIT MID. L MID. A FROM POSIT MID. A FROM MID. A FROM	- CELESTIAL - ELECTRONIC - VISUAL - D. R. CURRENT DATA (Date)
3 Same As Com Nay Base 9 Ports mouth New Hampshire 1	- ELECTRONIC - VISUAL - D. R. CURRENT DATA (T) (Date)
8	CURRENT DATA (Date) (Date)
9	T) (Date)
9	T) (Date)
1	T) (Date)
2	
DRIFT — POSIT MID. L _ MID. λ	
4	TON BETWEEN FIXES
MID. L	
MID. λ	
18	
19	
19 20 20 21 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
21 22 23 F	OOOO-2400
22 23 F	
23 F	
23 24	
24	FUEL CONSUMED 0000-2400
	TO SERVICE OF
REMARKS	
000-2400 Resting on Cradles in Front of kuilding 180 21. S. Naval Ship yard, Ports Month, New Hampshire, Ship include various Units of the 91.5, Attantic fleet and Var Craft, S.O.P.A. is C.O. of the 91.5,5. albacore (AGSSS) 0800 Mustered the Crew at quarters. Absentees: None.	At The Presant ions Yard
Marvin Q Mc Camis- EM 16591. SN	

MAYPERS 720 (Rev. 4-56)	ADDITIONAL REA	MARKS
UNITED STATES SHIP		(Davi (Data) (Warati , 10
		(Day) (Date) (Month) , 10
de talle de la		
	西州华岛海通岛地西部市	
	发展,这种种种的	
		第47.34 张启之 《李克·瓦克·克克·克克·克克·克克·克克·克克·克克·克克·克克·克克·克克·克克
新展性的技术 的基础表示。		
		文学院 (1985年) 1985年 (1985年) 1985年 (1985年)
		第12章 医克里克斯氏征
CONTRACTOR OF THE PARTY		
		经工程的证明,但是这种证明的
ROYED:	EXAMINED:	出。在1919年中,他们在1919年中,1919年中
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605 FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (55x-1) ZONE DESCRIPTION TS DATE FRIDAY AT/PASSAGE FROM US NAVAL SHIPYARD PORTSMOUTH TO NEW HAMPSHIRE WEATHER OBSERVATIONS POSITION TEMPER-CLOUDS WAVES BAROM-WIND VISI-WEATH-ATURE 0800 ZONE BIL-ITY ER (sym-ETER DIREC-TEMPER-Dry Bulb HEIGHT (Feet) _ BY _ TIME Wet SPEED Amount Height ATURE TION (Miles) bols) (Inches) (Tenths) Bulb (Knots) (True) (True) 01 1200 02 03 2000 04 BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. COM NOV BASE 08 CURRENT DATA 09 10 (Date) (ZT) TO _ (ZT) (Date) 11 SET -12 13 POSITION BETWEEN FIXES 14 15 MID. A_ 16 17 18 MILES STEAMED 0000-2400 19 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** 00-24 Resting on enables in front of building 180 at 95 Maral Shippines for duty authority September Charles W. annable EN2(58) USN. EXAMINED: APPROVED:

Emergency Printing

COMMANDING

U.S.N. NAVIGATOR

MAYPERS 720 (Rev. 4-56)	ADDITIONAL REMAR	KS
NITED STATES SHIP		, 19
	47AC	(Day) (Date) (Month)
	White Add to the sale	3.W
	MARKET STATE OF THE STATE OF TH	
	A PART OF THE PART	
		CHECK THE PROPERTY OF THE PARTY
OVED:	EXAMINED:	

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (5.5X-1) ZONE DESCRIPTION \$\frac{1}{2}\$ DATE \$\frac{5ATUROAT}{(Day)}\$ (Date) (Nonth) , 19 56 AT/PASSAGE FROM U.S. NAVAL SHIP YARD TO PORTSMOUTH NOTE. WEATHER OBSERVATIONS POSITION ZONE TEMPER-CLOUDS WAVES WIND VISI- WEATH-BAROM-ATURE 0800 ZONE BIL-ITY ER (sym-ETER DIREC-TEMPER-DIREC-_ BY _ TIME Dry Wet Amount HEIGHT SPEED Height Туре TION ATURE (Miles) bols) (Inches) (Tenths) (Knots) Bulb Bulb (Feet) 01 1200 02 03 2000 04 BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC SAME 3 - VISUAL COM NAU BASE 07 4 - D. R. 08 CURRENT DATA 09 FROM_ 10 (Date) (ZT) TO __ (ZT) 11 SET -12 13 POSITION BETWEEN FIXES 14 15 MID. A_ 16 17 18 MILES STEAMED 19 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** 88-44 RESTING ON CRAPLES IN FRONT OF DUILDING 180 AT THE V.S. NAVAL ShiftAND PORTSMULTS N.H. ShiPS PRESENT INOLUDE UNITS OF THE U.S. ATLANTIC FLEET AND VANIOUS VARO CRAFT. SOPA IS THE C.D. U.S.S. ALBACORE (A655569) 0800 MUSTERD CREW AT QUANTERS ARSENTATES NOWE Lame & Flaher

Emergency Printing

EXAMINED:

APPROVED:

NAVIGATOR

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMA	ARKS
UNITED STATES SHIP		(Day) (Date) (Month) , 19
		(Batter) (Month)
		Charles and the second
	A STATE OF THE STA	
	对于人类的主义的	
		以此。 [1] [1] [1] [1] [1] [1] [1] [1] [1] [1]
ROVED:	EXAMINED:	

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION +5 DATE SUNDAY 16 DESCRIPTION 1956 AT/PASSAGE FROM US NAVAL SHIPYARD PORTSMOUTH TO NEW HAMPSHIRE WEATHER OBSERVATIONS POSITION TEMPER-WAVES CLOUDS SEA WIND WEATH-BAROM-ATURE 0800 ZONE BIL-ITY ER (sym-ETER TEMPER-Dry Bulb BY _ TIME Wet Amount HEIGHT SPEED Туре Height ATURE TION (True) (Miles) bols) (Inches) (Tenths) Bulb (Feet) (Knots) 01 1200 02 BY _ 03 2000 04 BY _ 05 LEGEND: 1 - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. - AS Com Nov Base 08 CURRENT DATA 09 FROM_ 10 (ZT) (Date) TO _ (Date) 11 12 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A 16 17 18 MILES STEAMED 19 20 21 22 FUEL CONSUMED 23 24 **REMARKS** Portsmouth Ther Hampshire. Ships present include units of the Moreone (1655569), 0800 Mustuel grewat quarters. Charles W. annable ENZ(SS)USN. EXAMINED: APPROVED:

NAVIGATOR

MAYPERS 720 (Rev. 4-56)	ADDITIONAL REMARK	S	() () () () () () () () () ()
UNITED STATES SHIP		(Day) (Date)	(Month) , 19-
		. 230	(MORER)
			Sales of the
	The anniet and a second		
	Little Constant Constant		
PROYED:	EXAMINED:		
(1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	U.S.N. COMMANDING	U.S.N.	NAVIGATOR

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION + 5 DATE MONDAY 17DECEMBER, 19 56

AT/PASSAGE FROM M. S. NAVAL SHIPYARD, TO PORTSMOUTH, NEW HAMPSHIRE WEATHER OBSERVATIONS TIME POSITION ZONE TEMPER-CLOUDS SEA WATER WIND VISI- WEATH-BAROM-ATURE 0800 BIL-ITY ER (sym-ZONE ETER TEMPER-DIREC-DIREC-Amount BY _ TIME HEIGHT SPEED Height ATURE TION TION (Inches) (Miles) bols) (Knots) Bulb Bulb (Tenths) (Feet) 01 BY . 02 03 2000 04 BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL As COM NAV BASE 07 4 - D. R. 08 CURRENT DATA NEW HAMPSHIRE ATS MOUTH 09 FROM _ 10 (ZT) (Date) (Date) 11 12 DRIFT _ 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** AT THE U.S. NAVAL SHIPYARD PORTSMOUTH, NEW HAMPSHIRE. SHIPS PRESENT INCLUDE VARIOUS MNITS OF THE U.S. ATLANTIC FLEET AND VARIOUS UNITS OF YARD CRAFT, S, O. P.A. IS THE OF THE U.S.S. ALBACORE (AGSS-569). 0800 MUSTERED nimet M. Partain MC (55)

EXAMINED:

APPROVED:

NAVIGATOR

FOR OFFICIAL USE ONLY NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS		7100 del 1815/1810 (1619 1791) est 1
UNITED STATES SHIP		(Day) (Date	(Month) , 19
1981	3.50 30400.000		
	THE PARTY OF THE P		
建筑			
经国际企业社会			
THE REPORT OF THE PARTY OF THE			
	基础的基础的基础的		
PPROYED:	EXAMINED:		
	U.S.N. COMMANDING	U.:	S.N. NAVIGATOR

PAS	SAGE FROM	VI	5. 1	VAI	ML	5	b.	PPI	30		POR	13.79	OUIN	05C., 19 56 (North)
							1	WEATH	ER OBS	ERVATI	ONS			
ONE	WI	ND		WEATH-		TEMP			CLOUDS		SEA WATER	WAV	/ES	POSITION ZONE TIM
IME	DIREC- TION	SPEED (Knots)	BIL- ITY (Miles)	(Sym-	ETER (Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	неight	Туре	TEMPER- ATURE	DIREC- TION	HEIGHT (Feet)	LBY
01	(True)	(Kiloto)		PLANE S								(True)		λBY
2														LBY
3														λBY
4														2000 LBY
5													122	λ
6														LEGEND: I - CELESTIAL
7														2 - ELECTRONIC 3 - VISUAL
				Ca	11-	0	c ·	10.1	40.	BASE				4 - D. R.
8			-	DA	79E	17)	000	NAC	DISSE				CURRENT DATA
9				10	007			1.	11					FROM
0				1	ORIS	Mo	115	N	He					TO $\frac{(ZT)}{(ZT)}$ $(Date)$
1														SET
2														DRIFT
3														POSITION BETWEEN FIXES
.4														MID. L
.5														MID. A
6			P							701000000				
L7									1 THE					
18				1										MILES STEAMED
19											A STATE OF			0000-2400
20														
21														
22														
23					32 Call						N. F. S.			FUEL CONSUMED 0000-2400
24														
		Page 1						Assessment of the	REMA	DICC				
1.5 5.	O.P.	AVAL OF A	715	BIX E V	S. DE	971	Po,	AJSMO IC + U.S.S.	EVERTAL ALBACES	N.H.	Sh 10 V 16555	ARS ARIO	PRES.	ENT INCLUDE ARD CRAFT. OSOO MUSTERD
												57	22.0	use
									and the same of the same of	The second second				

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMAI	RKS
UNITED STATES SHIP		(Dayl (D.A.) (W.) 19
		(Day) (Date) (Month) , 19
		THE RESERVE OF THE PARTY OF THE
		是 10 大學 10 大学 10
		STATE OF THE PARTY
PPROVED:	EXAMINED:	
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

/ PAS	SAGE FROM	US N.	AVAL	SHIF	YARD	Pon	TSMOV	TH NA	ow HA	4 70 5 H/K	2					
							V	VEATH	ER OBS	ERVAT	IONS					
ONE	WII	ND D	VISI-	WEATH-	BAROM-	TEMP			CLOUDS		SEA WATER	WAV	ES	POS 1 T 1 C	ON ZONE	TIME
ONE	DIREC-	SPEED (Knots)	ITY	ER (Sym-	ETER (Inches)	Dry	Wet	Amount (Tenths)	Height	Туре	TEMPER- ATURE	DIREC- TION	HEIGHT (Feet)	L	E	
01	(True)	(Knots)	1			3010	00.0	(101101107				(True)	(1000)		6	r
02														L	E	r
3														λ	Ε	r
)4														2000	E	Υ
5									-						E	
06														LEGEND: I	- CELESTIAL	
)7										T. Said				3	- VISUAL	
08																
9								Alle							CURRENT DATA	
.0						SAME	AS	Cont	AN BASE					FROM	ZT)	(Date)
11						PORTS	HOUTH	NEW	HAMPS	HIRE					ZT)	
.2																
13														POSI	TION BETWEEN	FIXES
L4														MID. L_		
15														MID. λ_		
16																
17																
18							5.00								MILES STEAMER	
19															0000-2400	
21											63.0					
22							E ALE	/-								
23															FUEL CONSUME	
24						Tribal I									0000-2400	
												1				
LOM	PSHIRE	. 5A	110'5	Pre	ESENT	INCL	UDE	UN175	OF THE	- 05	ATLAN	17/6 }	-LEET,	ON VARA	PRESENT	O CRA
									Lhan EN2	rles W.	Anna	a the				
-							CENTER OF	E WATER TO					A STATE OF			

MAVPERS 720 (Rev. 4-56)	ADDITIONAL REMA	ARKS		180 - 200 - 201 -
UNITED STATES SHIP		(Day)	(Date)	(Month) , 19
		Victor and	(Date)	(Month)
	CHENTAY PERCENTIA	DATA		
				S OR S OR S
	The same the same to the same same same same same same same sam	建筑建筑 电极电影		
PPROVED:	EXAMINED:			
	U.S.N. COMMANDING		U.S.N.	NAVIGATOR

FOR OFFICIAL USE ONLY

						/				ERVATI						
						TEMP		VEATITI		LKVAII		WA	VES	POSIT	ION ZONE	TIME
ONE	WI DIREC-	ND .	BIL-	WEATH- ER (sym-	BAROM- ETER	ATI		Amount	CLOUDS		SEA WATER TEMPER-	DIREC-	HEIGHT	0800		_ BY
IME	TION (True)	SPEED (Knots)		bols)	(Inches)	Bulb	The state of the s	(Tenths)	Height	Туре	ATURE	TION (True)	(Feet)			
01									A SHEET					1200		
2																
)3														2000		
4					in the state of									A THE REAL PROPERTY.		
)5		Feeling 1													I - CELESTIA	
06		41,112													2 - ELECTRON 3 - VISUAL	
08	A	To the last			5-			d	1/2	Bas					4 - D. R.	
9					Jan	ne	4.5	001	7 1/ 2	Das		ALIF			CURRENT DA	ТА
10					Por	+5	272.4	uth	New	Han	205	hire		FROM	(ZT)	(Date)
11														то	(ZT)	(Date)
12											100					
13		1/1/2/2									own and		-		ITION BETWEE	EN FIXES
14		R. San												MID. L		Completed to
15														MID. λ.		
16							1					Yak.				
17																
18															MILES STEAM	
20													Z		0000 2100	
21																
22																
23															FUEL CONSUM	
24						1 3				Alexander of the same of the s						
									REMA		- 14/56					
U	5.	Vyva	7/	Shi	py z	rd.	Poi	+5 m	is t	Nen he C. s, 26.	The O, o	H.S FT Tees	sshir he us	e Sh Lant SHLE ONE.	ips ic F pacore	
										Har	EN EN	1455	Zione) us	N		
										0						
			BU NO	LERGI			1			The second						
																AND DESCRIPTION OF THE PARTY OF

NITED STATES SHIP		(Day) (Date)	(Month) , 19—
		THE PARTY OF THE P	
			Mar District
用以外外的			
		ALEBERT SELECTION	
		SEASON SALES	
			KS III ALI PY
VED:	EXAMINED:		

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (55X-1) ZONE DESCRIPTION + 5 DATE Friday 2/ Dec (North)

AT/PASSAGE FROM U.S. Naval Shipyard For Portsmouth, New Hampshire WEATHER OBSERVATIONS POSITION TIME ZONE TEMPER-CLOUDS WAVES WIND VISI-WEATH-BAROM-ATURE BIL-ITY ER (sym-ZONE ETER WATER EMPER-DIREC-DIREC-BY -TIME HEIGHT SPEED Height ATURE TION TION (Inches) (Miles) bols) (Knots) Bulb Bulb (Tenths) (Feet) 01 BY _ 02 BY _ 03 2000 04 BY . 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC Com Nav Base 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA 09 FROM . 10 (ZT) (Date) (Date) 11 12 DRIFT _ 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** U.S. WavalShipyard Portsmouth, New Hampshire, Include Various Units of Yard Craft. SOPA

Emergency Printing

U.S.N.

NAVI GATOR

NAVY-DPP0 5ND NorVa

EXAMINED:

APPROVED:

AVPERS 720 (Rev. 4-56)	ADDITIONAL REA	MARKS	n) get
NITED STATES SHIP		(Day) (Date) (Month)	, 19
		Large grad	
			North
			91 SE
			100
The teachers and the second			
	THE REAL PROPERTY OF THE PARTY	Control of the Section of the Sectio	
		意的 有限的特殊 图 30 30 36 可容够可	
			No. of Street, or other teams, and the street,
YED:	EXAMINED:		
	U.S.N. COMMANDING	U.S.N. NAVIGATOR	1

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) uss X-1(SSX-1) ZONE DESCRIPTION + 5 DATE SATURDAY 22 DECEMBER, 19 __ AT/PASSAGE FROM U. S. NAVAL SHIPYARD, TO PORTSMOUTH, NEW HAMPSHIRE WEATHER OBSERVATIONS TIME POSITION ZONE TEMPER-CLOUDS WAVES WIND VISI- WEATH-ATURE WATER 0800 ZONE BIL- ER ITY (sym-(Miles) bols) ETER TEMPER-DIREC-DIREC-TIME Wet Amount BY -SPEED Туре Height TION ATURE (Inches) (Tenths) Bulb Bulb (Feet) 01 BY _ 02 03 2000 04 BY _ 05 1 - CELESTIAL LEGEND: 06 2 - ELECTRONIC 3 - VISUAL COM NAV BAS 07 4 - D. R. 08 CURRENT DATA 09 FROM . 10 (Date) (ZT) TO _ (ZT) (Date) 11 SET -12 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 0000-2400 23 24 **REMARKS** 0000-2400 RESTING ON CRADLES IN FRONT OF BUILDING 180AT THE U.S. NAVAL SHIPYARD, PORTSMOUTH, NEW HAMPSHIRE, SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET YARD CRAFT. S.O. P.A. LBACORE (AGSS-569). 0800. MUSTERED

Emergency Printing

EXAMINED:

APPROVED:

from Hanfon hT U.S.M.

NAVI GATOR

U.S.N.

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS	teren verbasa uta
UNITED STATES SHIP		(Day) (Date) (Month) , 19
		(Date) (MORLA)
		AND THE RESERVE OF THE PARTY OF
	The section is a section of the least	
	是100mm,100mm,100mm,100mm。 100mm,100mm 100mm 100	
PPROVED:	EXAMINED:	
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1(55X-1) ZONE DESCRIPTION ±5 DATE Sunday 23 December 19 5-6

AT/PASSAGE FROM U.S. Naval Shipyard To Portsmouth, New Hampshire WEATHER OBSERVATIONS TIME ZONE TEMPER-POSITION CLOUDS SEA WATER WAVES WIND VISI- WEATH-BAROM-0800 ZONE BIL- ER ITY (sym-(Miles) bols) ETER TEMPER-DIREC-DIREC-TIME Amount HEIGHT BY -SPEED Height TION ATURE (Inches) Bulb (Tenths) Bulb (Feet) 01 1200 BY . 02 03 2000 04 BY _ 05 LEGEND: I - CELESTIAL 06 BSHITE 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA 09 FROM . 10 (Date) (ZT) TO -(Date) (ZT) 11 SET -12 DRIFT __ 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS**

EXAMINED:

APPROVED:

NAVIGATOR

U.S.N.

ITED STATES SHIP	
	(Day) (Date) (Month) , 19
	(Date) (Batta)
	a describe to be seen
	hand the same of t
ED: EXAMINED:	图图集的 A COMPANY AND A COMPANY

							V	VEATHE	R OBSI	RVAT	IONS			
	WI	ND	VISI-	WEATH-	BAROM-	TEMF			CLOUDS		SEA	WAV	ES	POSITION ZONE TIM
ONE	DIREC-	SPEED (Knots)	BIL- ITY	ER (Sym-	ETER (Inches)	Dry Bulb	Wet	Amount (Tenths)	Height	Туре	WATER TEMPER- ATURE	DIREC- TION	HEIGHT (Feet)	LBY
01	(True)	(Knots)	(4,1,103)			9010	Baro	(Tollino)				(True)	(1000)	λBY
02														L BY
)3														λ
)4								The Late of the La						2000 LBY
)5						7-10			- Anna Maria					λ
06		A							Company of					LEGEND: I - CELESTIAL 2 - ELECTRONIC
07		-												3 - VISUAL 4 - D. R.
08		Total land		SA	ME	AS	Co	MNAU	BASE					
09		la la la				200	-							CURRENT DATA
10		10 200		P	ORTS.	400	Th	N.H	,	Mary .				FROM (ZT) (Date)
11		-									-			TO(ZT) (Date)
12					221 35				THE PARTY					DRIFT
13									Telegio e					POSITION BETWEEN FIXES
14							42							MID. L
15														MID. A
16		11-1-11-11-11-11-11-11-11-11-11-11-11-1				2.5								
17														
19									N. S. S. S.					MILES STEAMED
20														0000 2400
21							3							
22														
23								340				Table 1		FUEL CONSUMED
24								-		THE WA				000 2100
									REMAR				7 1844	
000	NITS The	OF	5h	ISE U.	U.S.	PO ALO	RTS. TLA.	MOUTH MIC I	NI	מהמ	VAC	S PI	FARO	AT TISE INCHUOE CRAFT. SOPA USTERD CREW AT
									J	ame	- 7	1.7	lah	ery.
											<u> </u>	ETA	1551	USN

FOR OFFICIAL USE ONLY NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS			1940 (380 (384)) 1940 (55 - 1944) 803 (39)
UNITED STATES SHIP				
		(Day)	(Date)	(Month) , 19
		A-TV		The state of the state of
DDAYEN.	PVANIED.			
PROYED:	EXAMINED:			
	U.S.N. COMMANDING		U.S.N.	NAVIGATOR

FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION TS DATE TUESDAY 25 DECEMBER, 1956 AT/PASSAGE FROM US NOUNZ SHIPYARD PORTSMOUTH TO NEW HAMPSHIRE **WEATHER OBSERVATIONS** POSITION TEMPER-ATURE WAVES CLOUDS WIND BAROM-VISI-WEATH-0800 BIL-ITY ER (sym-WATER ZONE ETER TEMPER-DIREC-DIREC-_ BY _ TIME SPEED Height TION (Inches) ATURE (Miles) bols) (Tenths) (Knots) Bulb Bulb (Feet) 01 1200 BY _ 02 03 2000 04 _BY _ 05 LEGEND: I - CELESTIAL 06 2 - ELECTRONIC 3 - VISUAL 07 08 CURRENT DATA 09 DAVE AS COMMONBOSE FROM_ 10 (Date) (ZT) NEW HAMPSNIRE PORTSMOUTH (Date) 11 12 13 POSITION BETWEEN FIXES 14 MID. L___ 15 MID. λ ____ 16 17 18 MILES STEAMED 0000-2400 19 20 21 22 FUEL CONSUMED 23 0000-2400 24 **REMARKS** Charles W. annable

Emergency Printing

EXAMINED:

APPROVED:

NAVY—DPPO 5ND NorVa

NAVIGATOR

FOR OFFICIAL USE ONLY NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS			YURO BOW JAILY RE ORLY (88%)
UNITED STATES SHIP				
	The state of the s	(Day)	(Date)	(Month) , 19
				Tel Sussain
	A CONTRACTOR OF THE COST			
				100000000000000000000000000000000000000
r namen age frank i de de la				
		The state of the s		
PROVED:	EXAMINED:			
	LAMINED:			
Green Control of the	U.S.N. COMMANDING		U.S.N.	NAVIGATOR

							1	WEATH	ER OBS	ERVAT	IONS			
	WI	N D	VISI-	WEATH-	BAROM-	TEMP			CLOUDS		SEA	WAV	ES	POSITION ZONE TI
ONE	DIREC-	SPEED	BIL-	ER	ETER	Dry	Wet	Amount (Tenths)	Height	Туре	WATER TEMPER- ATURE	DIREC- TION	HEIGHT (Feet)	0800 LBY
0.1	(True)	(Knots)	(MITES)	00107	(manaa)	5010	Виго	(Tentina)				(True)	(Feet)	λBY
01														LBY
03												T- Landson		λBY
04												BOY.		2000 LBY
05														λ
06														LEGEND: I - CELESTIAL
07														2 - ELECTRONIC 3 - VISUAL 4 - D. R.
08					San	m	e.	75 C	em. 1	/2 V. 1	Birse			
09				No.										CURRENT DATA
10					Po	++5	m	outh	New	Han	IPSA	ire		FROM(ZT) (Date
11														TO (ZT) (Date
12		1194									-	- 1- 1- 1		SET
13										40.00	196/44	4.05		POSITION BETWEEN FIXES
14								Carrier and						MID. L
15													-	MID. A
16													18.65	
17														
18												Margaritan		MILES STEAMED
19				42.00										0000-2400
20														
21														
23														FUEL CONSUMED
24														0000-2400
Sh	ipy 7	rd,	Poi	u.;	m 04	th	NENTI	c F/	eet a	shire vd v	, 5h	ips	yara	o, u.s. Naval
5.	0. P.	A.	is	the	C.	0.05	T	he US	S AL	bacer	e (H	55 5	-19)	. 0800
M	uster	do	re	w à	ot qu	127	te	rs, ab	sent	ees:	No	Ne.		
A St										21	0	0		
										Fary	/ T.	11	un!	0
										1	EN	(55	Jus	N .
												dr. H		
		FI IG			7.79.7	T.								
						Mal		Carrier .			,	7 44		
	THE WAR	AND STATE OF THE	E. Din	L 1 22	STATE SANG	NED WIE						PARTE ROLL		

MAYPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS	1380 128 JA1	
UNITED STATES SHIP		(Day) (Date) (Month) , 1	19
	The same of the same same same same same	1207) 12000) INONEN	
			History
	- DECHANGED LUCKEY		
		The second section of the section of th	
MODERAL SERVICES			
PPROYED:	EXAMINED:		
	U.S.N. COMMANDING	U.S.N. NAVIGATOR	

FOR OFFICIAL USE ONLY

/ PA3:	SAGE FROM			170				YAR WEATH									
	W.1	N.D.	l _v , c,		0.4.00.4	TEMF	ER-	WEATH	CLOUDS	EKVAII	SEA	WAV	/FS	POS	ITION	ZONE	TIME
ZONE	DIREC- TION (True)	SPEED (Knots)	BIL-	WEATH- ER (Sym- bols)	ETER	Ory Bulb	Wet	Amount (Tenths)	Height	Туре	WATER TEMPER- ATURE	DIREC- TION (True)	HEIGHT (Feet)				
01														1200			
02			-														
04														2000	100		
05																	
06				56	ME	6	15	Con	INA	V BA.	SE			LEGEND		ECTRONIC	
07				Po	RIS	MOU	76	N	· H-						3 - VI 4 - D.		
08															CURR	ENT DATA	
10														FROM.	(ZT)		(Date)
11														то	(ZT)		(Date)
12									43.00								
13														F	POSITION	BETWEEN I	FIXES
14														MID.	L		
16														MID.	λ		
17				18.4													
18														Γ	MILES	STEAMED	
19															000	0-2400	
20														L			
22																	
23																CONSUMED 0-2400	
24																	
NOR	TheLVA	EU	1105 120	DS PA	OF 15	70	SI	RADE	9AB S BT O, C	POA 1-4NT, NO.	ALB.	PHEL	T- A E (Alexi	100	56, VA 0800	PS BIOU D MO	PAB 25 7.
											1	an	ET:	455	east	151	
	977.25								143.								
			THE PARTY	The other													

MAVPERS 720 (Rev. 4-56)	ADDITIONAL REM	MARKS
NITED STATES SHIP		(Day) (Date) (Month) , 19
701		(MORTE)
		45 7 2 4 7 2 7
		THE PARTY REPORTS AND THE PARTY AND THE PART
HAT BELLEVILLE		
OYED:	EXAMINED:	
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

							1	WEATH	ER OBS	ERVATI	ONS				
	WI	ND	VISI-	WEATH-	BAROM-	TEMP			CLOUDS		SEA	WAV	ES	POSITION ZONE T	TIME
ONE	DIREC-	SPEED	ITY	ER (Sym-	ETER (Inches)	Dry	Wet Bulb	Amount (Tenths)	Height	Туре	WATER TEMPER- ATURE	DIREC-	HE I GHT	LBY	
	(True)	(Knots)	(MITES)	00137	(mones	Build	Build	(Tentina)				(True)	(Feet)	λBY	
)1						77.0								LBY	
3								5.86.3		The section of				λBY	
4											1			2000 LBY	
5							10.84							λBY	
6														LEGEND: I - CELESTIAL 2 - ELECTRONIC	
7														3 - VISUAL 4 - D. R.	
8	et venetres	5	AM	E	175	C	DM	NAV	BASI	E,				CURRENT DATA	
9				0				11-	v HA						
0			-	TOR	TSM	047	H,	NEG	UMA	MPSI	HIR.	E.		FROM (ZT) (Dat TO (ZT) (Dat	te)
1						578								SET	te)
3														DRIFT	
4							14.6							POSITION BETWEEN FIXES	S
15	227						- 34							MID. L	
6														MID. λ	
17					-4-44										
18														MILES STEAMED	7
19														0000-2400	
20															
21							1000								
23		1000000	0.5											FUEL CONSUMED	7
24											10.12			0000-2400	-
			10.00	- 25				Becco.							
WA	RESIND V	PAVAL PARIO	1 No	H11	OF OF ORD	VAL	PO	RTSA US U	1047H	OF A. I.	THE'S	HAM HE HE	5, A C.O.	ONG 180 AT ORE, SHIPS TLANTIC FLO OF THOU.S TOUGRTERS	E E
1	BSENI(S	S) UN	5: U	S.N.	ONE.	BEI	OG POF	TED ENT	AB.	MPSO THE	DA.	BNI S. N.	NOUND	COMPLETED HOSPITAL BUPERS/NST	7 2
		5 A.					E		ello			coly			
							E	MCC	(25		4.	5.N			

NAVPERS 720 (Rev. 4-56)	ADDITIONAL REMARKS		Tuber Attaches	
UNITED STATES SHIP		(Day)	(Date) (Month) , 19	
		(Day)	(Month)	
				sta etas
100 Made And 100 March				
PPROVED:	EXAMINED:			
	U.S.N. COMMANDING		U.S.N. NAVIGATOR	

									ER OBS					ire	
2010	WI	ND	VISI-	WEATH-	BAROM-	TEME			CLOUDS		SEA	WAV	'ES	POSITION ZO	ONE TIME
ONE IME	DIREC-	SPEED (Knots)	BIL- ITY (Miles)	(Sym-	ETER (Inches)	ОГУ		Amount (Tenths)	Height	Туре	WATER TEMPER- ATURE	DIREC- TION	HEIGHT (Feet)	0800 L	BY
01	(True)	(Knots)	(111100)			5410	Buro	(Tellino)				(True)	(1660)	λ	BY
2														1200 L	BY
3									300					λ	BY
4														2000	
5								A ME	23.00		11017			λ	
6														LEGEND: I - CELES	TIAL
7					SZM		70	Con	1/74	Bas	0	9444		2 - ELECTE 3 - VISUAL 4 - D. R.	
8					0019	E	43	000	Nav.	10 83				4 - D. R.	
9				12:23	Por	1	-11	446	New	Hamp	shir	6		CURRENT	DATA
0					1001	3 /	710	4///	77 CV	477				FROM	(Date)
1						27/2		122	and the second	SALL SECTION		4		TO(ZT)	(Date)
2							5					7-42		SET	
3														POSITION BETW	
4										April 1					
.5					- Carl									MID. L	
6							44.8							ΜΙΟ. λ	
.7															
.8															
19		24.34				44								MILES STE 0000-24	
0															
21	Na														
22															
23														FUEL CONS	
4							44								
					4 9 4 1						-				
1.	0. 0	400 Sh. (.5. \$ \$ TI	the c	155 155	ALL.	N C e w = le	raa Ha et	lles mpsh ANd ACSSS	in fr vario	ship us y	s p ard Mu	rese crz ester	nt ing	180 Ports clude. UNI C.O.P.H is	mout to of the
				74 0											
									A.	any	1.0	Bran	in		
										O E	N	(55)	USN		
				No Gue											
			RESIDE												

MAYPERS 720 (Rev. 4-56) ADDITIONAL REMA	ARKS
UNITED STATES SHIP	(Paul (Patel (Westlin, 19
	(Day) (Date) (Month) , 19
	CALL THE SECOND STATE OF SECOND
PPROVED: EXAMINED:	
U.S.N. COMMANDING	U.S.N. NAVIGATOR

						١	WEATH	ER OBS	ERVAT	IONS			A series of the
ONE	WIND	VISI-	WEATH-	BAROM- ETER	TEMP			CLOUDS		SEA WATER	WAV	ES	POSITION ZONE TIME
IME DIR	ON (Knots)	ITY (Miles	ER (sym-	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Туре	TEMPER- ATURE	DIREC- TION (True)	HEIGHT (Feet)	ВУ
)1	ue)									-	(1100)		λBY
)2													ВҮ
13													λBY
4													2000 LBY
05													λBY
06													LEGEND: I - CELESTIAL 2 - ELECTRONIC
)7										- Carpani			3 - VISUAL 4 - D. R.
08													CURRENT DATA
9													EDOM
10	SF	ME	A	s co	M	NA	V BA	SE					FROM (ZT) $(Date)$ TO (ZT) $(Date)$
11	P	ORT	SMI	DUTH	1	1 E C	VHA	MPST	126				SET
12													DRIFT
14										13.31			POSITION BETWEEN FIXES
15													MID. L
16													MID. λ
17				Maria			The last						
18													
19													MILES STEAMED 0000-2400
20													
21													
22													
23													FUEL CONSUMED 0000-2400
24			1000										
								REMA	PKS				
RESE ART	NT IN	TH VCCI FT.	NA VDE SO	PAI	SH 175	OF	THE 1.SS	V.S.	A LA A C O I SENT	TH A NTIC RE (A EES 1	FL GGS NON	HAMI EET 1 5 56 6	OSHIRE, SHIPS AND VARIOUS 9),0800

MAVPERS 720 (Rev. 4-56)	ADDITIONAL RE	MARKS
UNITED STATES SHIP		(Day) (Date) (Month) , 19
		(Day) (Date) (Month)
	a de la companya de l	Harris and the same of the sam
		国际的基础的基础的基础的
The state of the s		
		是一种的人,但是一种的人,但是一种的一种的人,但是一种的人,但是一种的人。 第一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一种的人,是一
PROYED:	EXAMINED:	
	U.S.N. COMMANDING	U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605 FOR OFFICIAL USE ONLY DECK LOG SHEET - TYPE B NAVPERS 720 (Rev. 4-56) USS X-1 (SSX-1) ZONE DESCRIPTION TS DATE MONDAY 31 DECEMBER, 1956 AT/PASSAGE FROM US NAVAL SHIPYARD, PORTSMOUTH NEWTO HOMPSNIRE WEATHER OBSERVATIONS TIME ZONE POSITION TEMPER-CLOUDS WAVES SEA WATER WIND VISI- WEATH-0800 ZONE BIL- ER ITY (sym-(Miles) bols) ETER DIREC-DIREC-TIME Wet Amount HEIGHT BY -SPEED Height Туре TION ATURE (Inches) (Tenths) Bulb Bulb (Feet) 01 BY _ 02 03 2000 04 BY _ 05 I - CELESTIAL LEGEND: 06 2 - ELECTRONIC 3 - VISUAL 07 4 - D. R. 08 CURRENT DATA 09 AS COMNON BASE FROM _ 10 SOME (Date) (ZT) (Date) 11 12 13 POSITION BETWEEN FIXES 14 MID. L_ 15 MID. A_ 16 17 18 MILES STEAMED 19 0000-2400 20 21 2.2 FUEL CONSUMED 0000-2400 23 24 **REMARKS** 00-24 Resting on cradles in front of building 150 at US Maral Shipper Charles W. annable ENERS) USN.

EXAMINED:

APPROVED:

NAVIGATOR

U.S.N.

IITED STATES SHIP					10
		(Day)	(Date)	(Month)	-, 19-
	THE PARTY OF THE P				
			P. 18/10		
					-4-5
	The state of the s				
	是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个				
				7 - 110	
THE REAL PROPERTY OF THE PARTY					
A DOMESTIC OF THE PARTY OF THE	CONTRACTOR OF THE PARTY OF THE				
		國際基			
AND SECURITION OF SECURITION			AR BE		
TO LANGUE AND A STATE OF THE ST	医多种 网络古代教教士 医多种性 医神经神经				